


HIGHBAY BRICKS SYSTEM TRACK LIGHT GEN



Model	Moc	Lm	Barwa	Kąt Świecenia	V	A/mA	Sprawność	CRI	IP	Diody	Szybkość	Trwałość	ON/OFF	Temp. Pracy
HBBS30	30W	3900	2700K 6000K	60° 80° 100°	100-240V AC	1000	0,93	>80	42	Epistar SMD 2835 (72pcs)	95%<1s	50000	≥50000	-30/+50
HBBS40	40W	5200	2700K 6000K	60° 80° 100°		1000	0,93	>80	42	Epistar SMD 2835 (96pcs)	95%<1s	50000	≥50000	-30/+50
HBBS60	60W	7800	2700K 6000K	60° 80° 100°		1000	0,93	>80	42	Epistar SMD 2835 (144pcs)	95%<1s	50000	≥50000	-30/+50



NEW GENERATION LED










Technology and innovation

www.isrlight.com

HIGHBAY BRICKS SYSTEM TRACK LIGHT GEN



Technology and
innovation

RoHS ✓         

ISR
LIGHT

NEW
GENERATION
LED










Technology and
innovation

www.isrlight.com

HIGHBAY BRICKS SYSTEM TRACK LIGHT GEN

Technology and innovation



RoHS ✓         



NEW GENERATION
LED

Technology and innovation

www.isrlight.com